DesignLights Consortium





Classification	Standard	
Primary Use	Direct Linear Ambient Luminaires	
Reported Input Wattage	75 W	
Reported Light Output	9675 lm	
Reported CCT	3500 K	
Reported CRI (Ra)	83	
Product ID	S-3W09PI	
DLC Family Code	DDDLTQ	
Listing Status	Listed	
Date Qualified	2023-01-03	

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting	
Technical Requirements Version	5.1	
Product ID	S-3W09PI	
Manufacturer	Precision Lighting & Transformer, Inc	
Brand	PLT	
Model Number	PLTM94B142	
Parent	Yes	
Classification	Standard	
DLC Family Code	DDDLTQ	
Length	4.0 ft	
Input Power Type	AC	

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires	
General Application	Linear Ambient	
Primary Use Designation	Direct Linear Ambient Luminaires	

CONTROL FEATURES VIEW DETAILS

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	9675 lm
	9073 III
Reported Efficacy (AC)	129 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	83
Reported R9	11
Reported IES Rf	84
Reported IES Rg	94
Reported IES Rcs,h1	-12
Reported Minimum Light Output	6028 lm
Reported Maximum Light Output	9675 lm
Reported Minimum CCT	3500 K
Reported Maximum CCT	5000 K
Reported Default Light Output	9675 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	75 W
Reported Total Harmonic Distortion	3.9 %
Reported Power Factor	0.998
Reported Minimum Input Wattage	44 W
Reported Maximum Input Wattage	75
Reported Default Input Wattage	75 W

Voltage Range	120-277 V	

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	9446 lm
Tested Efficacy (AC)	126.99 lm/W
Tested CCT	3333 K
Tested CRI (Ra)	83
Tested R9	11
Tested IES Rf	84
Tested IES Rg	94
Tested IES Rcs,h1	-12 %
Tested Duv	0.00049

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	74.4 W
Tested Total Harmonic Distortion	4.9 %
Tested Power Factor	0.974

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File

Download File

VERSION HISTORY VIEW DETAILS

2023-01-03	Listed	5.1	Standard
------------	--------	-----	----------