DesignLights Consortium





Classification	Standard	
Primary Use	Replacement Lamps (Plug and Play) (UL Type A)	
Reported Input Wattage	11.5 W	
Reported Light Output	1450 lm	
Reported CCT	3000 K	
Reported CRI (Ra)	82	
Product ID	PLM11Q1Q4OSS	
DLC Family Code	WWWXRL	
Listing Status	Listed	
Date Qualified	2021-09-30	

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLM11Q1Q4OSS
Manufacturer	Green Creative LTD
Brand	GREEN CREATIVE
Model Number	10T8/3F/830/DIR
Parent	Yes
Classification	Standard
DLC Family Code	WWWXRL
Length	3.0 ft
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp	
General Application	T8 Three-Foot	
Primary Use Designation	Replacement Lamps (Plug and Play) (UL Type A)	

CONTROL FEATURES VIEW DETAILS

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming above 10%	
Integral Control Capability	No Control Capability	
Sensor Type	No Sensor	
SSL V5 Wired Communication Protocol	Other Wired Communication Protocol	
SSL V5 Wireless Communication Protocol	No Wireless Protocol	
Field Adjustable Light Output	No	
White-Tunable	No	
Warm-Dimming	No	
Field Adjustable Light Distribution	No	

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	190 °
Reported Light Output	1450 lm
Reported Efficacy (AC)	126 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	0
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Default Light Output	1450 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	11.5 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	11.5 W

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	277
Tested Light Output	1424.6 lm
Tested Efficacy (AC)	121.6 lm/W
Tested CCT	3087 K
Tested CRI (Ra)	82.4
Tested R9	6.7
Tested IES Rf	84
Tested IES Rg	95

Tested IES Rcs,h1	-12 %
Tested Duv	-0.0005

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	11.72 W
Tested Total Harmonic Distortion	20.64 %
Tested Power Factor	0.934

VERSION HISTORY VIEW DETAILS

2021-09-30	Listed	5.1	Standard
------------	--------	-----	----------