

# DesignLights Consortium



Classification	Standard
Primary Use	Replacement Lamps (Plug and Play) (UL Type A)
Reported Input Wattage	13 W
Reported Light Output	1800 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	PLTKWMSQ9VM3
DLC Family Code	<a href="#">WWWXRL</a>
Listing Status	Listed
Date Qualified	2021-09-30

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PLTKWMSQ9VM3
Manufacturer	Green Creative LTD
Brand	GREEN CREATIVE
Model Number	11T8/4F/830/DIR
Parent	Yes
Classification	Standard
DLC Family Code	WWWXRL
Length	4.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Linear Replacement Lamp
General Application	T8 Four-Foot
Primary Use Designation	Replacement Lamps (Plug and Play) (UL Type A)

## CONTROL FEATURES VIEW DETAILS

Integral Controls	No
-------------------	----

Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	Other Wired Communication Protocol
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Beam Angle	190 °
Reported Light Output	1800 lm
Reported Efficacy (AC)	138 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	0
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Default Light Output	1800 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	13 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.9
Reported Default Input Wattage	13 W

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	277
Tested Light Output	1759.6 lm
Tested Efficacy (AC)	126.3 lm/W
Tested CCT	3087 K
Tested CRI (Ra)	82.3
Tested R9	6.2
Tested IES Rf	84
Tested IES Rg	95

Tested IES Rcs,h1	-12 %
Tested Duv	0.0003
Tested Beam Angle	194.9 °

### TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	13.93 W
Tested Total Harmonic Distortion	16.9 %
Tested Power Factor	0.9495

### VERSION HISTORY VIEW DETAILS

2021-09-30	Listed	5.1	Standard
------------	--------	-----	----------