# **DesignLights Consortium**





Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	64 W
Reported Light Output	8640 lm
Reported CCT	5000 K
Reported CRI (Ra)	83
Product ID	S-QJ3SCP
DLC Family Code	CCCHWC
Listing Status	Listed
Date Qualified	2022-10-12

# **PRODUCT INFORMATION VIEW DETAILS**

Qualified Product List	Solid State Lighting	
Technical Requirements Version	5.1	
Product ID	S-QJ3SCP	
Manufacturer	Precision Lighting & Transformer, Inc	
Brand	PLT	
Model Number	PLTM446132	
Parent	Yes	
Classification	Standard	
DLC Family Code	CCCHWC	
Length	4.0 ft	

Input Power Type	AC
,	

# **PRODUCT CATEGORIZATION VIEW DETAILS**

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

#### **CONTROL FEATURES VIEW DETAILS**

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

#### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	8640 lm
Reported Efficacy (AC)	135 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	83
Reported R9	10
Reported IES Rf	83
Reported IES Rg	95

Reported IES Rcs,h1	-12
Reported Default Light Output	8640 lm

#### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	64 W
Reported Total Harmonic Distortion	3.9 %
Reported Power Factor	0.962
Reported Default Input Wattage	64 W
Voltage Range	120-277 V

## **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Tested Voltage for Minimum Efficacy	120
Tested Light Output	8602 lm
Tested Efficacy (AC)	136.52 lm/W
Tested CCT	4974 K
Tested CRI (Ra)	83
Tested R9	10
Tested IES Rf	83
Tested IES Rg	95
Tested IES Rcs,h1	-12 %
Tested Duv	0.00152

## **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Tested Input Wattage	63 W
Tested Total Harmonic Distortion	4.6 %
Tested Power Factor	0.962

#### PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	Download File	
-----------	---------------	--

# **VERSION HISTORY VIEW DETAILS**

2022-10-12	Listed	5.1	Standard