# DesignLights Consortium





| Model Number           | PLTBR8613X                              |
|------------------------|---|
| Classification         | Premium                                 |
| Primary Use            | Architectural Flood and Spot Luminaires |
| Reported Input Wattage | 298.6 W                                 |
| Reported Light Output  | 40674 lm                                |
| Reported CCT           | 3000 K                                  |
| Reported CRI (Ra)      | 72                                      |
| Product ID             | S-01972Y                                |
| DLC Family Code        | VVWAIS                                  |
| Listing Status         | Listed                                  |
| Date Qualified         | 2023-08-10                              |

### **PRODUCT INFORMATION VIEW DETAILS**

| Qualified Product List                | Solid State Lighting                  |
|---------------------------------------|---------------------------------------|
| Technical Requirements Version        | 5.1                                   |
| · · · · · · · · · · · · · · · · · · · |                                       |
| Product ID                            | S-01972Y                              |
| Manufacturer                          | Precision Lighting & Transformer, Inc |
| Brand                                 | PLT                                   |
| Model Number                          | PLTBR8613X                            |
| Parent                                | No                                    |
| Classification                        | Premium                               |
| DLC Family Code                       | VVWAIS                                |
| Input Power Type                      | AC                                    |

# PRODUCT CATEGORIZATION VIEW DETAILS

| Category                | Outdoor Luminaires                      |  |
|-------------------------|---|--|
| General Application     | Very High Output                        |  |
| Primary Use Designation | Architectural Flood and Spot Luminaires |  |

#### CONTROL FEATURES VIEW DETAILS

| Integral Controls                      | Yes                                  |  |  |
|--|--------------------------------------|--|--|
| Dimming Capability and Range           | Continuous Dimming to 10% or below   |  |  |
| Integral Control Capability            | No Control Capability                |  |  |
| Sensor Type                            | Exterior Photocell,Sensor Receptacle |  |  |
| SSL V5 Wired Communication Protocol    | 0-10V Analog                         |  |  |
| SSL V5 Wireless Communication Protocol | No Wireless Protocol                 |  |  |
| Field Adjustable Light Output          | Yes                                  |  |  |
| White-Tunable                          | Yes                                  |  |  |
| Warm-Dimming                           | No                                   |  |  |
| Field Adjustable Light Distribution    | Yes                                  |  |  |
| Field Adjustable Distribution Type     | Integral FALD                        |  |  |

#### REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

| 40674 lm   |
|------------|
| 136.2 lm/W |
| 3000 K     |
| 72         |
| -28        |
| 74         |
| 96         |
| -16        |
| 35417 lm   |
| 40674 lm   |
| 3000 K     |
| 5000 K     |
| 40674 lm   |
|            |

### REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

| Reported Input Wattage             | 298.6 W   |
|------------------------------------|-----------|
| Reported Total Harmonic Distortion | 15 %      |
| Reported Power Factor              | 0.9       |
| Reported Minimum Input Wattage     | 260 W     |
| Reported Maximum Input Wattage     | 298.6     |
| Reported Default Input Wattage     | 298.6 W   |
| Voltage Range                      | 120-277 V |

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

| Field Adjustable Light Distribution Setting | No restriction |
|---|----------------|
|---|----------------|

# VERSION HISTORY VIEW DETAILS

| 2023-08-10 | Listed | 5.1 | Premium |
|------------|--------|-----|---------|
|            |        |     |         |