DesignLights Consortium





Model Number	PLTM17C512
Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	255 W
Reported Light Output	34680 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	S-RFCHPY
DLC Family Code	<u>EMWBFG</u>
Listing Status	Listed
Date Qualified	2023-08-21

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-RFCHPY
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTM17C512
Parent	Yes
Classification	Premium
DLC Family Code	EMWBFG
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires	
General Application	High-Bay	
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings	

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	Daylight Sensing, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	34680 lm
Reported Efficacy (AC)	136 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	-11
Reported IES Rf	81
Reported IES Rg	94
Reported IES Rcs,h1	-15
Reported Default Light Output	34680 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	255 W
Reported Total Harmonic Distortion	7.4 %
Reported Power Factor	0.984
Reported Default Input Wattage	255 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	36092 lm
Tested Efficacy (AC)	141.26 lm/W
Tested CCT	5080 K
Tested CRI (Ra)	80
Tested R9	-11
Tested IES Rf	81

Tested IES Rg	94
Tested IES Rcs,h1	-0.2 %
Tested Duv	0.0022

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	255.5 W
Tested Total Harmonic Distortion	5.4 %
Tested Power Factor	0.998

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	Download File	
-----------	---------------	--

VERSION HISTORY VIEW DETAILS

23-08-21	Listed	5.1	Premium
----------	--------	-----	---------