



12" COLOR SELECTABLE LED SURFACE MOUNT DOWNLIGHT

WARNING, CAUTION, SAFETY AND INSTALLATION INSTRUCTIONS




WARNING

- Installation, service, and maintenance of luminaries should be performed by a qualified licensed electrician.
- Save these instructions.

NOTICE

- The integrated driver is dimmable with most regular dimmers. Using a low voltage electronic dimmer is recommended. For optimal dimmability, please see Compatible Dimmers section.
- Dimming range: 10%-100%

Installation Instructions

<p>1. Hold the mounting bracket up to the junction box with the flange facing down. Align the breach side of the mounting bracket parallel to the nearest wall, then screw the mounting bracket to the J-box.</p>	
<p>2. Before working on the wire connections, attach the safety cable by hooking it onto the mounting bracket.</p>	
<p>3. With the power turned OFF, make the appropriate wiring connections using the provided wire nuts. Make sure to follow your area's local and national electrical codes.</p>	




12" COLOR SELECTABLE LED SURFACE MOUNT DOWNLIGHT


WARNING, CAUTION, SAFETY AND INSTALLATION INSTRUCTIONS

4. Set the Kelvin by sliding the CCT switch to your desired color temperature.

Next, align the indents from the mounting bracket to the tabs on the LED fixture and push into place.



5. Once the fixture is pushed into the mounting bracket, rotate it 45-degrees clockwise until it locks securely in place.



Compatible Dimmers

Brand	Model	Voltage Range
Lutron	PD-6WCL	120V / 60Hz
Lutron	DVCL-153P	120V / 60Hz
Lutron	CTCL-153P	120V / 60Hz
Lutron	MACL-153M	120V / 60Hz
Lutron	LECL-153P	120V / 60Hz

⚠ WARNING

- Before installing, servicing, or performing routine maintenance upon this equipment, follow these general precautions.
- To reduce the risk of death, personal injury, or property damage from fire, electric shock, falling parts, cuts/abrasions, and other hazards, read all warnings and instructions included with and on the fixture box and all fixture labels.
- Proper grounding is required to ensure safety.
- Power must be turned off at the breaker before installation or maintenance.
- This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- Wear gloves and eye protection at all times while installing, servicing, or performing maintenance on the luminaire, and avoid direct eye exposure to the light source while it is on.
- To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.
- Do not install damaged product. Inspect luminaire for damage that may have occurred during transit. If damaged, contact the manufacturer immediately.



12" COLOR SELECTABLE LED SURFACE MOUNT DOWNLIGHT

WARNING, CAUTION, SAFETY AND INSTALLATION INSTRUCTIONS

- These instructions do not purport to cover all details or variations in equipment nor to provide every possible contingency to meet in connection with installation, operation, or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's or owner's purposes, contact the manufacturer.

⚠ ADVERTENCIA

- Antes de instalar, reparar o realizar el mantenimiento de rutina de este equipo, siga estas precauciones generales.
- Para reducir el riesgo de muerte, lesiones personales o daños a la propiedad por fuego, descarga eléctrica, caída de piezas, cortes / abrasiones y otros peligros, lea todas las advertencias y instrucciones incluidas con y en la caja del dispositivo y todas las etiquetas del dispositivo.
- Se requiere una conexión a tierra adecuada para garantizar la seguridad.
- Se debe apagar la energía en el disyuntor antes de la instalación o el mantenimiento.
- Este producto debe ser instalado de acuerdo con el código de instalación aplicable por una persona familiarizada con la construcción y operación del producto y los peligros involucrados.
- Utilice guantes y protección para los ojos en todo momento durante la instalación, el servicio o el mantenimiento de la luminaria, y evite la exposición directa de los ojos a la fuente de luz mientras está encendida.
- Para evitar daños o abrasiones en el cableado, no exponga el cableado a bordes de láminas de metal u otros objetos afilados.
- No instale un producto dañado. Inspeccione la luminaria en busca de daños que puedan haber ocurrido durante el tránsito. Si está dañado, comuníquese con el fabricante de inmediato.
- Estas instrucciones no pretenden cubrir todos los detalles o variaciones en el equipo ni proporcionar todas las posibles contingencias a cumplir en relación con la instalación, operación o mantenimiento. Si desea obtener más información o si surgen problemas particulares que no están suficientemente cubiertos para los propósitos del comprador o propietario, comuníquese con el fabricante.