



Product Specification

Document No.:
Version: A2
Page: 1/2

model no. | PLT-50336

Document No.:
Version: A2
Page: 1/2

1. DESCRIPTION:

LAMP TYPE:	Linear T8LED
LAMP CLASSIFIED:	Type A+B, Single&Double Ended, G5
BASE TYPE:	G13 (Medium Bi-pin)
EQUIVALENT	/
WATTAGE:	8W
CCT:	3000K/3500K/4000K/5000K/6500K
DIFFUSER TYPE:	Internal coated glass tube
WARRANTY:	5 YEARS



Suitable for dry and damp locations
Suitable for open fixtures

2. PRODUCT FEATURES

Replacement for conventional fluorescent lamp
Plug and play or 120-277Vac input
UL (R/C and Classified) & DLC qualified
Full glass housing: no aging, no yellowing, no bending
Environmentally friendly: no mercury
5 Color temperature selectable

3. PERFORMANCE (If no specified, the test conditions in below items are: Ta=25°C±1°C, RH≤65%, air free)

3.1 Electrical Characteristics

PARAMETERS	SYMBOL	MIN	RATED	MAX	UNIT	Test Condition
Line voltage	V _{in}	108	120/277	305	V	/
Frequency	f	--	50/60	--	Hz	/
Lamp Rated Power	P	7.2	8.0	8.8	W	V _{in} =120,277Vac
System Power	P	8.6	9.5	10.7	W	V _{in} =120,277Vac
Power factor	PF	0.9	--	--	/	V _{in} =120,277Vac
Total Harmonic Distortion	THD	--	20%	--	/	V _{in} =120,277Vac meet DLC
Starting time	t	--	--	1	s	V _{in} =120,277Vac
Flicker Percent	/	--	--	--	/	/
Dimming Type	/	Type A: Dependant on ballast Type B: Dimming Mate (Available via Special Order. Call 1-800-624-4488)				

3.2 Photometrical Characteristics

PARAMETERS	SYMBOL	MIN	RATED	MAX	UNIT	Test Condition
Beam Angle	θ 50%	--	210	--	°	IES
Flux <4000K	Φ	1035	1150	--	lm	DLC
Flux ≥4000K		1035	1150	--		
Lamp Efficacy <4000K	η	130.0	144	--	lm/W	
Lamp Efficacy ≥4000K		130.0	144	--		
System Efficacy <	η _{sys}	116.4	121	--	lm/W	
System Efficacy ≥		116.4	121	--		

3.3 Color Characteristics (refer to ANSI C78.377-2017)

Chromaticity coordinates

PARAMETER	SYMBOL	MIN	RATED	MAX	Unit	Test Condition
CENTER POINT	CCT=3000K	X=0.4339 Y=0.4033		/		
	CCT=3500K	X=0.4078 Y=0.3930				
	CCT=4000K	X=0.3818 Y=0.3797				
	CCT=5000K	X=0.3446 Y=0.3551				
	CCT=6500K	X=0.3123 Y=0.3283				

PARAMETER	SYMBOL	MIN	RATED	MAX	Unit	Test Condition
Color Render Index	R _a	80	82	--	/	/
R ₉	R ₉	0	12	--		
Color tolerance	/	--	--	5	SDCM	3000K/6500K
	/	--	--	7	SDCM	3500K/4000K/5000K

4. LUMEN MAINTENANCE & LIFE

PARAMETERS	SYMBOL	MIN	RATED	MAX	UNIT	Test Condition
Lumen Maintenance at 6000hrs	/	--	95.8%	--	/	/
Life	t	--	50000	--	Hrs	Ta=45C, air free



Warranty	/	--	5	--	Year	Ta=45C, air free
----------	---	----	---	----	------	------------------

Product Specification	Document No.:
	Version: A2
	Page: 2/2

5. OPERATION TEMPERATURE & STORAGE TEMPERATURE

PARAMETERS	SYMBOL	MIN	RATED	MAX	UNIT	Test Condition
Ambient Temperature	T _A	-20	--	45	°C	/
Storage Temperature	T _{st}	-40	--	85		/

6. COMPATIBILITY

Compatible with select Instant Start ballasts (Type A), or operates directly off line voltage (Type B). See Ballast Compatibility list for full list of compatible ballasts.

7. APPROBATION COMPLIANCE

UL1993&UL1598C, FCC part 15 class A (BP) & FCC Part 18 Non-Consumer (DR), DLC 5.1, RoHS


8. DIMENSIONS



SYMBOL	MIN	TYP	MAX	UNIT
A	/	--	589.8	mm
B	594.4	--	596.9	mm
C	601.2	--	604.0	mm
D	23.9	--	27.9	mm

9. Connection & Wiring

WIRING DIAGRAM




WIRING ILLUSTRATION

/

10. Dimming Operation

0-10V dimming only when paired with Dimming Mate (available via Special Order). Call 1-800-624-4488 for more information. Refer to the wiring diagram below:



11. DLC

DLC #: PLTSP1136
DLC Level: 5.1 Standard

Ballast Compatibility List								NC	Incompatible			P			PF < 0.85		
												T			THD > 30%		
												C			Compatible		
												/			Not tested		
												NA			Not applicable		
Ballast Brand	Part Number	Start Method	# of Lamps	BF		Lamp Connection	Enclosed fixtures?	N-1 Lamp			N Lamp						
				Type	Value			DMM			DMM						
								120Vac	277Vac	347Vac	120Vac	277Vac	347Vac				
Philips-Advance	IOPA-2P32-N	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA				
Philips-Advance	IOP-2P32-N	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA				
Philips-Advance	IOP-2P32-LW-N	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC □	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
OSRAM SYLVANIA	QHE 2X32T8/UNV ISN-SC □	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC □	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA				
General Electric	GE-232-MV-N □	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
General Electric	GE232MAX-N/ULTRA □	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
Universal Lighting Technologies	B232IUNVHP-N	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
Universal Lighting Technologies	B232IUNVEL-A	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
Universal Lighting Technologies	B233IUNVHE-A	IS	2	N	0.87	Parallel	YES	C	C	NA	C	C	NA				
ESPEN	VE232MVHIPE	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA				
Philips-Advance	IOP-4P32-N	IS	4	N	0.87	Parallel	YES	C	C	NA	C	C	NA				
Philips-Advance	IOP-4P32-LW-N	IS	4	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
General Electric	GE432MAX-L/ULTRA □	IS	4	L	0.78	Parallel	YES	C	C	NA	C	C	NA				
OSRAM SYLVANIA	QHE 4X32T8/UNV ISN-SC □	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
OSRAM SYLVANIA	QHE 4X32T8/UNV ISL-SC □	IS	4	L	0.78	Parallel	YES	C	C	NA	C	C	NA				
HOWARD INDUSTRIES	EP3/32IS/MV/SC/HE	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA				
HOWARD INDUSTRIES	EPL4/32IS/MV/MC/HE	IS	4	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
ProLume	EP232IS/L/MV/SL	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA				
Prolume	E432IS/120/R/SL	IS	4	N	0.87	Parallel	YES	P,T	NA	NA	P,T	NA	NA				
General Electric	GE432MAX-G-N	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
Universal Lighting Technologies	B432IUNVHE L-A	IS	4	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
General Electric	GE132MAXP-N/ULTRA	IS	1	N	0.88	NA	YES	NA	NA	NA	C	C	NA				
OSRAM SYLVANIA	QHE 1X32T8/UNV ISN-SC	IS	1	N	0.88	NA	YES	NA	NA	NA	C	C	NA				
OSRAM SYLVANIA	QHE 1X32T8/UNV ISL-SC	IS	1	L	0.78	NA	YES	NA	NA	NA	C	C	NA				
ESPEN	VE232MVHIPL	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA				
Philips-Advance	REB-2P32-SC	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
General Electric	GE232MV-N-DIY	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				
Halco	EP232IS/MV/HE	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA				

MAXLITE	SKEU322HEL/SC	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE332MV-N	IS	3	N	0.87	Parallel	YES	C	P	NA	C	P	NA
General Electric	GE332MAX-N/ULTRA	IS	3	N	0.88	Parallel	YES	C	P	NA	C	P	NA
General Electric	GE332MAX-L/ULTRA	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE332MAX-G-N	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA
OSRAM SYLVANIA	QTP 3X32T8/UNV ISN-SC	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
OSRAM SYLVANIA	QHE 3X32T8/UNV ISN-SC	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
OSRAM SYLVANIA	QHE 3X32T8/UNV ISL-SC	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B332IUNVHP-A	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
MAXLITE	SKEU324HE/SC	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
MAXLITE	SKEU323L/SC	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Halco	EP332IS/MV/HE	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B432IUNVHP-A	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
Halco	EP432IS/MV/HE	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
Halco	EP432IS/L/MV/HE	IS	4	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	REB-4P32-SC	IS	4	N	0.81	Parallel	YES	C	NA	NA	C	NA	NA
General Electric	GE432-120-RES	IS	4	N	0.83	Parallel	YES	C	NA	NA	C	NA	NA
General Electric	GE432MAX-N/ULTRA	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE432MAX347-N	IS	4	N	0.94	Parallel	YES	NA	NA	C	NA	NA	C
MAXLITE	MLEU322HEL/SC	IS	2	N	0.83	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B2321120RES-A	IS	2	N	0.88	Parallel	YES	C	NA	NA	C	NA	NA
HOWARD INDUSTRIES	E2/32IS-120MC	IS	2	N	0.85	Parallel	YES	P,T	NA	NA	P,T	NA	NA
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	IS	2	L	0.78	Parallel	YES	C	P,T	NA	C	C	NA
PLUSRITE	BAF232IS/MV	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA
EIKO	PM-2X32T8-UNV-IS-L	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA
EIKO	PM-3X32T8-UNV-IS	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	IOP-2PSP32-N	PS	2	N	0.94	Parallel	No	C	C	NA	C	C	NA
Philips-Advance	IOP-3PSP32-SC	PS	3	N	0.88	Parallel	No	C	C	NA	C	C	NA
Philips-Advance	IOP-3PSP32-LW-SC	PS	3	L	0.69	Parallel	No	C	C	NA	C	C	NA
Philips-Advance	IOP-4PSP32-LW-SC	PS	4	L	0.69	Parallel	No	C	C	NA	C	C	NA
OSRAM SYLVANIA	QHE 4X32T8/UNV PSX-SC	PRS	4	L	0.71	Parallel	No	C	C	NA	C	C	NA
Universal Lighting Technologies	B432PUNVHE-A	PS	4	N	0.87	Parallel	No	C	C	NA	C	C	NA
General Electric	GE232-MVPS-N	PS	2	N	0.88	Parallel	No	C	C	NA	C	C	NA
Universal Lighting Technologies	B232PUNVHE-B	PS	2	N	0.88	Parallel	No	C	P	NA	C	C	NA
OSRAM SYLVANIA	QHE 2X32T8/UNV PSN-MC	PRS	2	N	0.88	Parallel	No	C	C	NA	C	C	NA
Universal Lighting Technologies	B332PUNVHE-A	PS	3	N	0.88	Parallel	No	C	C	NA	C	C	NA
OSRAM SYLVANIA	QHE 4X32T8/UNV PSN-SC	PRS	4	N	0.88	Parallel	No	C	C	NA	C	C	NA
General Electric	GE-232-MV-PS-N	PS	2	N	0.88	Parallel	No	C	C	NA	C	C	NA
SUNPARK	U-1/32PSE	PS	1	N	0.88	n.a	No	NA	NA	NA	C	C	NA

Superior Life	70211	?	4	N	0.87	Parallel	No	C	C	NA	C	C	NA
Philips-Advance	REZ-2S32-SC	DPS	2	N	/	Parallel	Yes	C	C	NA	C	C	NA
EIKO	PM-3X32T8-UNV-IS-L	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
HOWARD INDUSTRIES	EPL3/32IS/MV/SC/HE	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
PLUSRITE	BAF332IS/MV	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
TCP	E3P32ISUNVLE	IS	3	L	0.78	Parallel	YES	P	C	NA	P	C	NA
TCP	E4P32ISUNVE	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
HOWARD INDUSTRIES	EP4/32IS/MV/MC/HE	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
EIKO	PM-4X32T8-UNV-IS	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
EIKO	PM-4X32T8-UNV-IS-L	IS	4	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B132IUNVHP-N	IS	1	N	0.88	NA	YES	NA	NA	NA	C	C	NA
SOLA	E-758-U-232-MC	IS	2	N	0.88	Parallel	YES	C	P	NA	C	C	NA
HOWARD INDUSTRIES	EP2/32IS/MV/MC/HE	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA
HOWARD INDUSTRIES	EP3/32IS/MV/MC/HE	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
WORK HORSE	WHSG4-UNV-T8-IS	IS	4	N	0.96	Parallel	YES	C	C	NA	C	C	NA
KEYSTONE	KTEB-432RIS-1-TP-SL	IS	4	N	0.80	Parallel	YES	P,T	NA	NA	P,T	NA	NA
SUNPARK	120-1/32IS HPF	IS	1	N	0.88	NA	YES	NA	NA	NA	C	NA	NA
Superior Life	70201	IS	2	N	0.88	Parallel	YES	C	T	NA	C	C	NA
SUNPARK	U-2/32ISE-LBF	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA
SUNPARK	U-3/32ISE	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
SUNPARK	120-3/32IS MPF	IS	3	N	0.88	Parallel	YES	C	NA	NA	C	NA	NA
SUNPARK	U-4/32IS HP,F	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
SUNPARK	U-4/32ISE-LBF	IS	4	L	0.77	Parallel	YES	C	C	NA	C	C	NA
EIKO	PM-2X32T8-UNV-IS	IS	2	N	0.87	Parallel	YES	C	C	NA	C	C	NA
KEYSTONE	KTEB-332-UV-IS-N-P	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA
KEYSTONE	KTEB-432-UV-IS-N-P	IS	4	N	0.87	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE432MAXP-H/ULTRA □	IS	4	H	1.18	Parallel	NO	C	C	NA	C	C	NA
Halco	EP232IS/L/MV/HE	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	VEL-2P32-SC	IS	2	N	0.88	Parallel	YES	NA	C	NA	NA	C	NA
Universal Lighting Technologies	B232IUNVHP-B	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA
OSRAM SYLVANIA	QTP2x32T8/277 ISN-D	IS	2	L	0.78	Parallel	YES	NA	C	NA	NA	C	NA
KEYSTONE	KTEB-232LBF-1-TP-PIC-EV	IS	2	N	0.88	Parallel	YES	C	NA	NA	C	NA	NA
HATCH	HL232BIS/UV/HE/W	IS	2	N	0.9	Parallel	YES	C	C	NA	C	C	NA
HATCH	HL432BIS/UV/HE/W	IS	4	N	0.9	Parallel	YES	C	P	NA	C	C	NA
ARCATA	ACT 3P32ISUNVLE	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
TOPAZ	B432IUNVHEH/A-TPZ	IS	4	H	1.18	Parallel	NO	C	C	NA	C	C	NA
DAMAR	EL232-120/277HF(1688B)	IS	2	N	/	Parallel	NO	C	C	NA	C	C	NA
DAMAR	EL332-120/277HF(3654C)	IS	3	N	/	Parallel	NO	C	C	NA	C	C	NA

DAMAR	EL432-120/277HF(3093B)	IS	4	N	/	Parallel	NO	C	C	NA	C	C	NA
Plusrite	BAF232IS/MV/L	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Plusrite	BAF332IS/MV/L	IS	3	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Plusrite	BAF432IS/MV	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
Plusrite	BAF432IS/MV/L	IS	4	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Watran	DB-232N-MV-TP-HE	IS	2	N	0.87	Parallel	YES	C	C	NA	C	C	NA
Watran	DB-332N-MV-TP-HE	IS	3	N	0.87	Parallel	YES	C	C	NA	C	C	NA
Watran	DB-432N-MV-TP-HE	IS	4	N	0.87	Parallel	YES	C	C	NA	C	C	NA
Watran	DB-432L-MV-TP-HE	IS	4	L	0.77	Parallel	YES	C	C	NA	C	C	NA
Watran	DB-232N-MV-TP-HE (SC)	IS	2	N	0.87	Parallel	YES	C	C	NA	C	C	NA
ACT	ACT 2P32ISUNVE	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA
ANTRON ELECTRONICS	A32T8MICLO	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA
OSRAM SYLVANIA	QTP 2X32T8/UNV ISL-SC	IS	2	L	0.78	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	IOPA-4P32-SC	IS	4	N	0.92	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B432IUNVHE-A	IS	4	N	0.87	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE332MAXP-L/ULTRA	IS	3	L	0.77	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B232I277RH-A	IS	2	H	1.09	Parallel	NO	NA	P,T	NA	NA	C	NA
Pacific Fluorescent	EB-232IS-120-RES	IS	2	N	/	Parallel	YES	C	NA	NA	C	NA	NA
Philips-Advance	ICN-132-MC	IS	1	N	0.88	NA	YES	NA	NA	NA	C	C	NA
ESPEN	VE2P32MVHIPE	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA
General Electric	GE232MAX-G-N	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA
Cooper Lighting	CL-432ISUNV-R1-B	IS	4	N	0.88	Parallel	NO	C	C	NA	C	C	NA
Philips-Advance	ICN-3P32-SC	IS	3	N	0.89	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	VEL-3P32-SC	IS	3	N	0.88	Parallel	YES	C	C	NA	C	C	NA
SYLVANIA	QT 3x32/277 IS	IS	3	N	0.9	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	ICN-2P32-SC	IS	2	N	0.89	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	IOPA-2P32-LW-N	IS	2	L	/	Parallel	YES	C	C	NA	C	C	NA
SYLVANIA	QT 2x32277 IS-SC	IS	2			Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	IOP-1P32-LW-N	IS	1	L	0.77	NA	YES	NA	NA	NA	C	P	NA
Philips-Advance	IOP-1P32-SC	IS	1	N	0.87	NA	YES	NA	NA	NA	C	C	NA
Philips-Advance	IOP-2P32-LW-SC	IS	2	L	0.77	Parallel	YES	C	C	NA	C	C	NA
Universal Lighting Technologies	B132IUNVEL-A	IS	1	L	0.77	NA	YES	NA	NA	NA	C	C	NA
Universal Lighting Technologies	B432I347HE-A	IS	4	N	0.88	Parallel	YES	NA	NA	C	NA	NA	C
SYLVANIA	QT 4X32/347LP	IS	4	/	/	Parallel	YES	NA	NA	T	NA	NA	T
Philips-Advance	IOP-1P32-LW-SC	IS	1	L	0.77	NA	YES	NA	NA	NA	C	C	NA
KEYSTONE	KTEB-432-UV-IS-N-P-EMI	IS	4			Parallel	YES	C	C	NA	C	C	NA
ESPEN	VE4P32MVHIPE	IS	4			Parallel	YES	C	C	NA	C	C	NA
MOTOROLA	M2-IN-T8-GP-D-277	IS	2			Parallel	YES	NA	C	NA	NA	C	NA
FUSION	FB432347E-N	IS	4	N	0.88	Parallel	YES	NA	NA	C	NA	NA	C

FUSION	FB232347E-N	IS	2	N	0.88	Parallel	YES	NA	NA	C	NA	NA	C
FUSION	FB232MVE-N	IS	2	N	0.88	Parallel	YES	C	C	NA	C	C	NA
FUSION	FB432MVE-N	IS	4	N	0.88	Parallel	YES	C	C	NA	C	C	NA
Philips-Advance	REZ-3S32-SC	DPS	3	N	0.97	Series	Yes	NA	NA	NA	C	NA	NA