# **DesignLights Consortium**





Model Number	PLTM289142
Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	90 W
Reported Light Output	11880 lm
Reported CCT	3500 K
Reported CRI (Ra)	82
Product ID	PJ30IZDQ
DLC Family Code	EEEGKE
Listing Status	Listed
Date Qualified	2021-09-03

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	PJ30IZDQ
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTM289142
Parent	Yes
Classification	Standard
DLC Family Code	EEEGKE
Length	8.0 ft
Input Power Type	AC

# PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

### **CONTROL FEATURES VIEW DETAILS**

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No
Sensor Type	No
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	11880 lm
Reported Efficacy (AC)	132 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	82
Reported R9	14
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Minimum Light Output	8970 lm
Reported Maximum Light Output	12060 lm
Reported Minimum CCT	3500 K
Reported Maximum CCT	5000 K
Reported Default Light Output	11880 lm

# REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	90 W
Reported Total Harmonic Distortion	10 %
Reported Power Factor	0.9
Reported Minimum Input Wattage	65 W
Reported Maximum Input Wattage	90
Reported Default Input Wattage	90 W
Voltage Range	120-277 V

#### **TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS**

Tested Voltage for Minimum Efficacy

Tested Light Output	11581.3 lm
Tested Efficacy (AC)	132.85 lm/W
Tested CCT	3357 K
Tested CRI (Ra)	83.4
Tested R9	14
Tested IES Rf	84
Tested IES Rg	97
Tested IES Rcs,h1	-11 %
Tested Duv	-0.00081

### **TESTED ELECTRICAL PERFORMANCE VIEW DETAILS**

Tested Input Wattage	87.18 W
Tested Total Harmonic Distortion	5.58 %
Tested Power Factor	0.9805

# VERSION HISTORY VIEW DETAILS

2021-09-03	Listed	5.1	Standard
------------	--------	-----	----------