

# DesignLights Consortium



Model Number	PLTMA4131411
Classification	Standard
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	35 W
Reported Light Output	4060 lm
Reported CCT	3500 K
Reported CRI (Ra)	84
Product ID	S-YJUBEK
DLC Family Code	<a href="#">EMWBCL</a>
Listing Status	Listed
Date Qualified	2023-07-17

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-YJUBEK
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTMA4131411
Parent	Yes
Classification	Standard
DLC Family Code	EMWBCL
Length	4.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No
Sensor Type	Multifunction Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	4060 lm
Reported Efficacy (AC)	116 lm/W
Reported CCT	3500 K
Reported CRI (Ra)	84
Reported R9	11
Reported IES Rf	84
Reported IES Rg	92
Reported IES Rcs,h1	-12
Reported Minimum Light Output	4060 lm
Reported Maximum Light Output	4060 lm
Reported Minimum CCT	3500 K
Reported Maximum CCT	5000 K
Reported Default Light Output	4060 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	35 W
Reported Total Harmonic Distortion	8.8 %
Reported Power Factor	0.971
Reported Minimum Input Wattage	35 W
Reported Maximum Input Wattage	35
Reported Default Input Wattage	35 W
Voltage Range	120-277 V

## TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
-------------------------------------	-----

Tested Light Output	4019 lm
Tested Efficacy (AC)	116.01 lm/W
Tested CCT	3477 K
Tested CRI (Ra)	84
Tested R9	11
Tested IES Rf	84
Tested IES Rg	92
Tested IES Rcs,h1	-12 %
Tested Duv	-0.0001

## TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	34.6 W
Tested Total Harmonic Distortion	9.5 %
Tested Power Factor	0.971

## VERSION HISTORY VIEW DETAILS

2023-07-17	Listed	5.1	Standard
------------	--------	-----	----------