

Project Name

Location

Prepared By



SATCO S11527

6ST19/CL/LED-GF/LOOP/927/120V

Notes

[www] 09-02-2024 01:00:00

General

| | |
|-------------------------|--------------|
| Status | Active |
| Watts | 6W |
| Incandescent Equivalent | 40W |
| Volts | 120V |
| Shape | ST19 |
| Base | Medium |
| ANSI Base | E26 |
| Finish | Clear |
| CCT (Kelvin) | 2700K |
| Temperature | Warm White |
| CRI | 93 |
| Lumens | 500L |
| Beam Spread | 360 |
| Dimmable | Yes-Dimmable |
| Dimming Note | 120V only |
| Hours Rated | 15000 |
| Technology | LED |

Smart Product Info

| | |
|----------|------|
| Start Up | 0.5s |
|----------|------|

Electrical

| | |
|-----------------------|----------------------------|
| Operating Frequency | 60Hz |
| Power Factor | 0.7 |
| Operating Temperature | -20C (-4F) to +45C (+113F) |

Physical

| | |
|--------------|------|
| MOL | 5.31 |
| MOD | 2.28 |
| Weight (lb.) | 0.08 |

Additional Information

| | |
|----------------------------|---|
| Rated For Enclosed Fixture | Yes |
| Installation Notes | Can be used outdoors only when in an enclosed fixture |
| Warranty | 3 Year Limited |

Compliance

| | |
|------------------------|-------------------------------|
| Safety Listing | cULus - Listed |
| Location Rating | Damp |
| Energy Star | No |
| CA T20 / T24 Rationale | T20 Listed |
| California Status | Lawful for sale in California |
| Title 20 / 24 Status | Lawful for sale |
| RoHS Compliant | Yes |

Project Name

Location

Prepared By



SATCO S11527

6ST19/CL/LED-GF/LOOP/927/120V

Notes

(www) 07-31-2024 01:33:49

General

| | |
|-------------------------|--------------|
| Status | Active |
| Watts | 6W |
| Incandescent Equivalent | 40W |
| Volts | 120V |
| Shape | ST19 |
| Base | Medium |
| ANSI Base | E26 |
| Finish | Clear |
| CCT (Kelvin) | 2700K |
| Temperature | Warm White |
| CRI | 93 |
| Lumens | 500L |
| Beam Spread | 360 |
| Dimmable | Yes-Dimmable |
| Dimming Note | 120V only |
| Hours Rated | 15000 |
| Technology | LED |

Smart Product Info

| | |
|----------|------|
| Start Up | 0.5s |
|----------|------|

Electrical

| | |
|-----------------------|----------------------------|
| Operating Frequency | 60Hz |
| Power Factor | 0.7 |
| Operating Temperature | -20C (-4F) to +45C (+113F) |

Physical

| | |
|--------------|------|
| MOL | 5.31 |
| MOD | 2.28 |
| Weight (lb.) | 0.08 |

Additional Information

| | |
|----------------------------|---|
| Rated For Enclosed Fixture | Yes |
| Installation Notes | Can be used outdoors only when in an enclosed fixture |
| Warranty | 3 Year Limited |

Compliance

| | |
|------------------------|-------------------------------|
| Safety Listing | cULus - Listed |
| Location Rating | Damp |
| Energy Star | No |
| CA T20 / T24 Rationale | T20 Listed |
| California Status | Lawful for sale in California |
| Title 20 / 24 Status | Lawful for sale |
| IP Rating | IP65 |
| RoHS Compliant | Yes |

SATCO GRAY FILAMENT COMPATIBLE DIMMERS

| Dimmer Brand | Dimmer SKU |
|---------------------|-------------------|
| Leviton | 6672 |
| Leviton | 6674 |
| Leviton | 66DF-10W |
| Satco | 80/2699 |
| Satco | 80/2700 |
| Satco | 80/2701 |
| Satco | 80/2702 |
| Satco | 80/2703 |
| Satco | 80/2704 |
| Satco | 86/103 |
| Legrand | ADTP703TU |
| Lutron | AYCL-153P |
| Lutron | AYCL-253P |
| Lutron | CTCL-153P |
| Lutron | CTRP-253P |
| Eaton | DAL06P-C2 |
| Leviton | DDL06 |
| Leviton | DDMX1 |
| Leviton | DG6HD |
| Leviton | DH6HD |
| Leviton | DL6HD |
| Leviton | DSE06-10Z |
| Leviton | DSL06 |
| Eaton | DUL06P-C2 |
| Lutron | DVCL-153P |
| Lutron | DVCL-253P |
| Lutron | DVRP-253P |
| Leviton | DW6HD |
| Leviton | DZ6HD |
| Lutron | HQR-3LD |
| Lutron | HQR-3PD |
| Lutron | HQRA-PRO |
| Lutron | HQRD-10D |
| Lutron | HQRD-10NBD |
| Lutron | HQRD-6CL |
| Lutron | HQRD-6ND |

| | |
|-----------|--------------|
| Lutron | HQRD-HN6BRL |
| Lutron | HQRD-PRO |
| Lutron | HRST-PRO-N |
| Leviton | IPL06 |
| Lutron | LECL-153P |
| Lutron | MA-PRO |
| Lutron | MACL-153M |
| Lutron | MACL-LFQ |
| Lutron | MAELV-600 |
| Precision | MR42400PLS |
| Lutron | MRF2-3LD |
| Lutron | MRF2-3PD |
| Lutron | MSCL-OP153M |
| Lutron | NTCL-250 |
| Lutron | NTRP-250 |
| Hubbell | NXFRD-UNV |
| Overdrive | ODMR0205 |
| Lutron | PD-10NXD |
| Lutron | PD-3PCL |
| Lutron | PD-5NE |
| Lutron | PD-6WCL |
| Lutron | PHPM-WBX-120 |
| Lutron | RCL-153PNL |
| Leviton | REL06-WW |
| Eaton | RF9640-ND |
| Legrand | RH703PTUTC |
| Legrand | RHCL450PTC |
| Leviton | RNL06-10Z |
| Lutron | RRD-10D |
| Lutron | RRD-3LD |
| Lutron | RRD-3PD |
| Lutron | RRD-6CL |
| Lutron | RRD-6ND |
| Lutron | RRD-H6BRL |
| Lutron | RRD-PRO |
| Lutron | RRST-PRO-N |
| Satco | S11268 |
| Satco | S11270 |

| | |
|---------|------------|
| Eaton | SAL06P |
| Lutron | SCL-153P |
| Lutron | SELV-300P |
| Lutron | ST-PRO-N |
| Lutron | STCL-153M |
| Eaton | SUF7 |
| Lutron | TGCL-153PH |
| Leviton | TSL06 |
| Lutron | TTCL-100H |
| Leviton | VPE06-1LZ |
| Eaton | VSUL06D |
| Acuity | WSX-PDT-WH |
| Legrand | WWRL50WH |