## SATCO' NUVO

Project Name

ocation

Prepared By



Notes

General		
	Active	
Status	Active	
Watts	20W	
Incandescent Equivalent	150W	
Volts	120V-277V	
Shape	A21	
Base	Medium	
ANSI Base	E26	
Finish	White	
CCT (Kelvin)	2700K/4000K/5000K	
Temperature	Warm White to Natural Light	
CRI	80	
Lumens	2760L/3020L/2860L	
Beam Spread	280	
Dimmable	Yes-Dimmable	
Hours Rated	50000	
Product Category	Туре А	
Technology	LED	
Min Compartment Size	Length: 6 in. Width: 6 in. Height: 8.5 in.	
Ballasting Requirements	Ballast Bypass; Direct wire 120-277V line voltage; No ballast or external driver required	
Electrical		
Operating Frequency	50/60Hz	
Dimming Type	Forward Phase or Reverse Phase or Phase Selectable	
Dimming Note	120V only	
Power Factor	>0.9	
Operating Temperature	-25C (-13F) to +45C (+113F)	
Physical		
MOL	5.08	
MOD		
	2.46	
Lens Finish	2.46 Frosted	
Lens Finish	Frosted	
Lens Finish Lens Material	Frosted Polycarbonate (PC)	
Lens Finish Lens Material Housing Color	Frosted Polycarbonate (PC) White	
Lens Finish Lens Material Housing Color Weight (lb.)	Frosted Polycarbonate (PC) White	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	Frosted Polycarbonate (PC) White 0.44	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture	Frosted Polycarbonate (PC) White 0.44 Yes	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty	Frosted Polycarbonate (PC) White 0.44 Yes	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro CULus - Certified; cULus - Listed Damp	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro CULus - Certified; cULus - Listed Damp No	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro CULus - Certified; cULus - Listed Damp No No	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved CA T20 / T24 Rationale	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro CULus - Certified; cULus - Listed Damp No No No Exempt - >2600 Lumens	
Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved CA T20 / T24 Rationale California Status	Frosted Polycarbonate (PC) White 0.44 Yes 5 Year Limited - Hi-Pro CULus - Certified; cULus - Listed Damp No No Exempt - >2600 Lumens Lawful for sale in California	

Yes

RoHS Compliant FCC Compliant



## Dimmer Compatibility

Туре	Brand	Model Number	Website
Dimmer	Lutron	MA-PRO	Visit
Dimmer	Lutron	RRD-PRO	Visit
Dimmer	Lutron	HQRD-PRO	Visit
Dimmer	Lutron	HQRA-PRO	Visit
Dimmer	Lutron	ST-PRO-N	Visit
Dimmer	Lutron	RRST-PRO-N	Visit
Dimmer	Lutron	HRST-PRO-N	Visit
Dimmer	Lutron	PD-5NE	Visit
Dimmer	Lutron	CTRP-253P	Visit
Dimmer	Lutron	DVRP-253P	Visit
Dimmer	Lutron	NTRP-250	Visit
Dimmer	Lutron	SELV-300P	Visit
Dimmer	Leviton	IPE04-1L	Visit
Dimmer	Leviton	66ELV	Visit
Dimmer	Leviton	DSE06-10Z	Visit
Dimmer	Leviton	VPE06-1LZ	Visit
Dimmer	Lutron	MACL-153M	Visit
Dimmer	Lutron	STCL-153M	Visit
Dimmer	Lutron	MACL-LFQ	Visit
Dimmer	Lutron	MSCL-OP153M	Visit
Dimmer	Lutron	DVCL-153P	Visit
Dimmer	Lutron	RCL-153PNL	Visit
Dimmer	Lutron	AYCL-153P	Visit
Dimmer	Lutron	SCL-153P	Visit
Dimmer	Lutron	CTCL-153P	Visit
Dimmer	Lutron	LECL-153P	Visit
Dimmer	Lutron	TTCL-100H	Visit
Dimmer	Lutron	DVCL-253P	Visit
Dimmer	Lutron	AYCL-253P	Visit
Dimmer	Lutron	NTCL-250	Visit
Dimmer	Lutron	TGCL-153PH	Visit

Dimmer	Lutron	PD-10NXD	Visit
Dimmer	Lutron	RRD-6ND	Visit
Dimmer	Lutron	RRD-H6BRL	Visit
Dimmer	Lutron	HQRD-6ND	Visit
Dimmer	Lutron	HQRD-10D	Visit
Dimmer	Lutron	HQRD-10NBD	Visit
Dimmer	Lutron	HQRD-HN6BRL	Visit
Dimmer	Lutron	HQRD-6CL	Visit
Dimmer	Lutron	RRD-6CL	Visit
Dimmer	Leviton	RNL06-10Z	Visit
Dimmer	Leviton	DDMX1	Visit
Dimmer	Satco	86/103	Visit
Dimmer	Satco	S11268	Visit
Dimmer	Leviton	6672	Visit
Dimmer	Lutron	RRD-10D	Visit
Dimmer	Leviton	6674	Visit
Dimmer	Leviton	IPL06	Visit
Dimmer	Leviton	TSL06	Visit
Dimmer	Leviton	DSM10	Visit
Dimmer	Leviton	TSM10	Visit
Dimmer	Leviton	66DF-10W	Visit
Dimmer	Leviton	DSL06	Visit
Dimmer	Leviton	DDL06	Visit
Dimmer	Lutron	MAELV-600	Visit
Dimmer	Lutron	SLV-600P	Visit
Dimmer	Leviton	DW6HD	Visit
Dimmer	Leviton	DH6HD	Visit
Dimmer	Leviton	DG6HD	Visit
Dimmer	Leviton	DL6HD	Visit
Dimmer	Leviton	DZ6HD	Visit
Dimmer	Eaton	DUL06P-C2	Visit
Dimmer	Eaton	VSUL06D	Visit
Dimmer	Legrand	RH703PTUTC	Visit
Dimmer	Legrand	WWRL50WH	Visit

Dimmer	Leviton	REL06-WW	Visit
Dimmer	Acuity	WSX-PDT-WH	Visit
Dimmer	Eaton	RF9640-ND	Visit
Dimmer	Eaton	SUF7	Visit
Dimmer	Hubbell	NXFRD-UNV	Visit
Dimmer	Satco	S11270	Visit
Dimmer	Lutron	PD-3PCL	Visit
Dimmer	Lutron	MRF2-3LD	Visit
Dimmer	Lutron	MRF2-3PD	Visit
Dimmer	Lutron	RRD-3LD	Visit
Dimmer	Lutron	RRD-3PD	Visit
Dimmer	Lutron	HQR-3LD	Visit
Dimmer	Lutron	HQR-3PD	Visit
Dimmer	Lutron	PHPM-WBX-120	Visit