DesignLights Consortium







Model Number	LLHB150-UT50/b/d		
Classification	Premium		
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings		
Reported Input Wattage	149.6 W		
Reported Light Output	20422 lm		
Reported CCT	5000 K		
Reported CRI (Ra)	83		
Product ID	S-KYZ8T6		
DLC Family Code	EMWBTY		
Listing Status	Listed		
Date Qualified	2024-07-24		

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting		
Technical Requirements Version	5.1		
Product ID	S-KYZ8T6		
Manufacturer	Archipelago Lighting, Inc.		
Brand	ARCHIPELAGO LIGHTING		
Model Number	LLHB150-UT50/b/d		
Parent	No		
Classification	Premium		
DLC Family Code	EMWBTY		
Input Power Type	AC		

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires		
General Application	High-Bay		
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings		

CONTROL FEATURES VIEW DETAILS

1 of 2

Integral Controls	Yes		
Dimming Capability and Range	Continuous Dimming to 10% or below		
Integral Control Capability	No		
Sensor Type	Multifunction Sensor, Sensor Receptacle, Daylight Sensing, Occupancy Sensing		
SSL V5 Wired Communication Protocol	0-10V Analog		
SSL V5 Wireless Communication Protocol	No		
Field Adjustable Light Output	No		
White-Tunable	No		
Warm-Dimming	No		
Field Adjustable Light Distribution	No		

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	20422 lm
Reported Efficacy (AC)	136.5 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	83
Reported R9	9
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Default Light Output	20422 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	149.6 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Default Input Wattage	149.6 W
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2024 07 24	Listad	5 1	Dromium	
2024-07-24	Lisieu	J. I	FIGIIIIIIII	

2 of 2