

# DesignLights Consortium



Model Number	EUD8-100W103sw
Classification	Premium
Primary Use	Direct Linear Ambient Luminaires
Reported Input Wattage	100 W
Reported Light Output	13000 lm
Reported CCT	3000 K
Reported CRI (Ra)	82
Product ID	S-6Y8580
DLC Family Code	<a href="#">SLFGAK</a>
Listing Status	Listed
Date Qualified	2024-08-29

## PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-6Y8580
Manufacturer	Euri Lighting
Brand	EURI
Model Number	EUD8-100W103sw
Parent	No
Classification	Premium
DLC Family Code	SLFGAK
Length	8.0 ft
Input Power Type	AC

## PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Linear Ambient
Primary Use Designation	Direct Linear Ambient Luminaires

## CONTROL FEATURES VIEW DETAILS

Integral Controls	No
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No
Sensor Type	No
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	No
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

## REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	13000 lm
Reported Efficacy (AC)	130 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	82
Reported R9	19
Reported IES Rf	81
Reported IES Rg	100
Reported IES Rcs,h1	-11
Reported Minimum Light Output	13000 lm
Reported Maximum Light Output	13000 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	13000 lm

## REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	100 W
Reported Total Harmonic Distortion	15.6 %
Reported Power Factor	0.916
Reported Minimum Input Wattage	100 W
Reported Maximum Input Wattage	100
Reported Default Input Wattage	100 W
Voltage Range	120-347 V

VERSION HISTORY VIEW DETAILS

2024-08-29	Listed	5.1	Premium
------------	--------	-----	---------