

DesignLights Consortium



Model Number	PLTSN4D313[1,2]3[1,2,3,4,blank]
Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	319 W
Reported Light Output	51366 lm
Reported CCT	5000 K
Reported CRI (Ra)	83
Product ID	S-C3RTF6
DLC Family Code	BCBAOD
Listing Status	Listed
Date Qualified	2024-12-02

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-C3RTF6
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT Solutions
Model Number	PLTSN4D313[1,2]3[1,2,3,4,blank]
Parent	No
Classification	Premium
DLC Family Code	BCBAOD
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No
Sensor Type	Multifunction Sensor, Sensor Receptacle, Daylight Sensing, Occupancy Sensing
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	51366 lm
Reported Efficacy (AC)	161.02 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	83
Reported R9	10
Reported IES Rf	84
Reported IES Rg	95
Reported IES Rcs,h1	-12
Reported Default Light Output	51366 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	319 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Default Input Wattage	319 W
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2024-12-02	Listed	5.1	Premium
------------	--------	-----	---------