

DesignLights Consortium



Model Number	PLTSPLH133121
Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	200 W
Reported Light Output	30000 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	S-GV78PW
DLC Family Code	BCBAQS
Listing Status	Listed
Date Qualified	2025-02-19

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-GV78PW
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT
Model Number	PLTSPLH133121
Parent	No
Classification	Premium
DLC Family Code	BCBAQS
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No
Sensor Type	Sensor Receptacle
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	30000 lm
Reported Efficacy (AC)	150 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	1
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Minimum Light Output	18000 lm
Reported Maximum Light Output	30000 lm
Reported Minimum CCT	4000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	30000 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	200 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.95
Reported Minimum Input Wattage	130 W
Reported Maximum Input Wattage	200
Reported Default Input Wattage	200 W
Voltage Range	120-277 V

VERSION HISTORY VIEW DETAILS

2025-02-19	Listed	5.1	Premium
------------	--------	-----	---------