DesignLights Consortium





Model Number	PLTSPLH152121
Classification	Premium
Primary Use	High-Bay Luminaires for Commercial and Industrial Buildings
Reported Input Wattage	120 W
Reported Light Output	18000 lm
Reported CCT	5000 K
Reported CRI (Ra)	80
Product ID	S-DXC0LT
DLC Family Code	BCBAQT
Listing Status	Listed
Date Qualified	2025-02-19

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting	
Technical Requirements Version	5.1	
Product ID	S-DXC0LT	
Manufacturer	Precision Lighting & Transformer, Inc	
Brand	PLT	
Model Number	PLTSPLH152121	
Parent	Yes	
Classification	Premium	
DLC Family Code	BCBAQT	
Input Power Type	AC	

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	High-Bay
Primary Use Designation	High-Bay Luminaires for Commercial and Industrial Buildings

CONTROL FEATURES VIEW DETAILS

1 of 3 2/24/2025, 8:26 AM

Integral Controls	Yes
Dimming Capability and Range	Continuous Dimming above 10%
Integral Control Capability	No
Sensor Type	Sensor Receptacle
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No
Field Adjustable Light Output	No
White-Tunable	No
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	18000 lm
Reported Efficacy (AC)	150 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	80
Reported R9	1
Reported IES Rf	80
Reported IES Rg	90
Reported IES Rcs,h1	-12
Reported Default Light Output	18000 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	120 W
Reported Total Harmonic Distortion	20 %
Reported Power Factor	0.95
Reported Default Input Wattage	120 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	17623 lm
Tested Efficacy (AC)	150.6 lm/W
Tested CCT	4892 K
Tested CRI (Ra)	83
Tested R9	51

2 of 3 2/24/2025, 8:26 AM

Tested IES Rf	82
Tested IES Rg	102
Tested Duv	0.0038

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	117.03 W
Tested Total Harmonic Distortion	9.4 %
Tested Power Factor	0.948

VERSION HISTORY VIEW DETAILS

2025-02-19	Listed	5.1	Premium	
------------	--------	-----	---------	--

3 of 3