DesignLights Consortium





Model Number	PLTSNIA112[1;2;3]2[1;blank][1;2;3;4;5;6;blank][1;2;3;5;6]
Classification	Premium
Primary Use	Architectural Flood and Spot Luminaires
Reported Input Wattage	475 W
Reported Light Output	67196 lm
Reported CCT	5000 K
Reported CRI (Ra)	81
Product ID	S-MQ1KQL
DLC Family Code	VJKJWC
Listing Status	Listed
Date Qualified	2025-06-13

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-MQ1KQL
Manufacturer	Precision Lighting & Transformer, Inc
Brand	PLT Solutions
Model Number	PLTSNIA112[1;2;3]2[1;blank][1;2;3;4;5;6;blank][1;2;3;5;6]
Parent	No
Classification	Premium
DLC Family Code	VJKJWC
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Very High Output
Primary Use Designation	Architectural Flood and Spot Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes		
Dimming Capability and Range	Continuous Dimming to 10% or below		
Integral Control Capability	No		
Sensor Type	Exterior Photocell, Sensor Receptacle, Occupancy Sensing		
SSL V5 Wired Communication Protocol	0-10V Analog		
SSL V5 Wireless Communication Protocol	No		
Field Adjustable Light Output	No		
White-Tunable	No		
Warm-Dimming	No		
Field Adjustable Light Distribution	Yes		
Field Adjustable Distribution Type	Integral FALD		

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	67196 lm
Reported Efficacy (AC)	141.46 lm/W
Reported CCT	5000 K
Reported CRI (Ra)	81
Reported R9	-1
Reported IES Rf	84
Reported IES Rg	96
Reported IES Rcs,h1	-12
Reported Default Light Output	67196 lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	475 W
Reported Total Harmonic Distortion	15 %
Reported Power Factor	0.9
Reported Maximum Input Wattage	475
Reported Default Input Wattage	475 W
Voltage Range	120-277 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Field Adjustable Light Distribution Setting No restriction
--

VERSION HISTORY VIEW DETAILS

2025-06-13	Listed	5.1	Premium
------------	--------	-----	---------