

LED Series

LED Crescent Wall Sconce Down Light



WP35

Housing:

Die Cast Housing, Textured Bronze Powdercoat Finish Over a Chromate Conversion Coating

Mounting:

Mount Over a 4" Recessed Outlet Box Includes Easy-Hang "Two Hands Free" Wall Mounting Bracket

LG LED Module:

Luminous Flux: See Chart

CRI: 70+, CCT: 4000K, 5700K or 6500K

Operating Temperature: -40 ~ 50°C

50,000 Hours

Module has IP67 Rating

RoHS Compliant

Wattage:

LED: 3 x 9 or 12w

Driver:

Electronic Driver, 120-277V, 50/60Hz

Listing & Ratings:

CSA: Listed for Wet Locations

LM-79 Report Available on Select Models.

Options:

Dimmable Driver

2.5KV Surge Protection

Custom Colors Available Upon Request.

LED Crescent Wall Sconce Down Light

Catalog #

Description

Example: WP35LF3X12U4KZSP

WP35	Model:	WP35
L	LED Mfr:	L=LG Innotek
F	Optics:	F=Medium Beam Spread
3X	Number of Modules:	3X=Three
12	Wattage:	9=9w, 12=12w
U	Ballast:	U=120-277V
4K	CCT:	4K=4000K, 57K=5700K, 65K=6500K
Z	Color:	Z=Bronze
-	Mounting:	N/A
SP	Options:	SF=Single Fuse, DF=Double Fuse, SP=Surge Protection

LD




Total Luminous Flux per Module	CCT	Optic Type					
		C		F		I	
		12w	9w	12w	9w	12w	9w
	6500K	1288	850	1345	888	1296	856
	5700K	1288	850	1345	888	1296	856
	4000K	1076	710	1100	726	1088	718



LD

LED Series

**LED Crescent Wall Sconce
Down Light**



WP35LF3X12

PHOTOMETRICS

LD-102

LED lighting facts
A Program of the U.S. DOE

Light Output (Lumens)	3923
Watts	43.96
Lumens per Watt (Efficacy)	89

Color Accuracy Color Rendering Index (CRI)	79
---	----

Light Color
Correlated Color Temperature (CCT) **5987 (Daylight)**

Warm White	Bright White	Daylight	
2700K	3000K	4500K	6500K

All results are according to IESNA LM-79-2008 Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.

Visit www.lightingfacts.com for the *Label Reference Guide*.

Registration Number: -VF8485 (9/19/2013)
Model Number: WP35LF3X12US7K
Type: Luminaire - Area/Roadway

LM-79 Report Available.